

Galileo Terrestrial Reference Frame (GTRF)- Status

Werner Enderle
on behalf of the **GGSP Consortium**
ICG11 Meeting
6-11 November 2016, Sochi, Russia




GTRF Generation

Latest realization: GTRF16v01



- Accumulating (rigorously stacking) all the weekly GTRF combined solutions since 2006
 - 278 weeks spanning 9.2 years
- Contains 163 stations located in 111 sites
- Using minimum constraint approach
 - the GTRF16v01 solution is aligned to the IGB08 (ITRF2008) frame over a set of 83 IGS/ITRF stations
 - located in 59 sites
 - 41 in the northern hemisphere
 - 18 in the southern hemisphere

Tracking Network for the GTRF – All stations




Latest GTRF Realisation: GTRF16v01

blue squares: ITRF/IGS stations

red triangles: GSS/GESS sites

GTRF Velocity Field




GTRF16v01 Velocity Field.
Red: IGS/ITRF site
Blue: GESS/GSS site.




- GTRF16v01
 - Released January 2016
 - Rigorously aligned to ITRF2008
 - In use by Galileo system
 - Next update is expected in 2017


Weekly WRMS accuracy of all PF's and Combined Solutions station positions is at the level of

- 1 to 2 mm for horizontal components and 3 to 6 mm for the height




GESS station time series - Examples






- **Orbit RMS agreement btw PFs and combined (co_) orbits for GPS satellites**
 - COR is combined rapid product (within 12 hours after end of the day)
 - Agreement mostly at the level of 5-10 mm
 - Combination difference to the IGS Final (IGF) and IGS Rapid (IGR) is at the same level



- Agreement for the clocks shows RMS of about 15 to 25 ps
 - all biases subtracted


Galileo final PF and OVF rapid orbit solutions compared to OVF final (IOV)



- Difference between PF and co_Galileo orbits are in the range of 5 to 15 cm (with outliers in case of data problems)
- Week 1873: Improved modeling with ECOM2 (PF1 and PF3) and Box-Wing (PF2)

SLR Residuals

Standard deviation



The SLR residuals are confirming the overall orbit accuracy (3D – 1 Sigma) of 10 – 20 cm
Notice improvement thanks to improved modelling starting week 1873

- Validation is carried out on a weekly basis when the last reference product is available (in general, the IGS troposphere solution)
- Validation result is a weekly summary file (vf_www7.sum)
- Example from summary file (vf_19157.sum)
- High quality, demonstrated by the RMS of Helmert-transformation (see table below)

			RMS		
		#sites	North [mm]	East [mm]	Up [mm]
IGb08	RMS / COMPONENT	48	3.02	2.76	7.33
IGb08week	RMS / COMPONENT	109	2.03	1.85	4.31
GTRF16V01	RMS / COMPONENT	109	2.22	1.76	4.65

THANK YOU

Werner Enderle

Werner.Enderle@esa.int